Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	74	(lock$3 near5 (type or mode or kind)) same ((number or quantity) adj4 read$3 or read$3 near4 acquisition)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 09:48
S94	59	(lock$3 near5 (type or mode or kind)) same ((number or quantity) adj4 read or read near4 acquisition)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 09:48
S93	158	(((((read or reader) same (write or writer)) same (lock$3 near5 (type or mode or kind))) same ((read$3 or distributed or centralized or exclusive or test adj3 set or queued or ticket or quad) adj3 lock)) and @ad<"20001219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 09:49
L3	161	(((((read or reader) same (write or writer)) same (lock$3 near5 (type or mode or kind))) same ((read$3 or distributed or centralized or exclusive or test adj3 set or queued or ticket or quad) adj3 lock)) and @ad<"20001219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 09:54
S68	71	((quantity or log or history or monitor$3 or count$3 or track$3 OR DETECT$3 or DETERMIN$3 or measur$4 or number or length or siz$3 or duration or amount or record$3) adj3 (read$3)) with lock$3 near5 (mode or type or kind)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 09:56
L5	125722	((quantity or log or history or monitor$3 or count$3 or track$3 OR DETECT$3 or DETERMIN$3 or measur$4 or number or length or siz$3 or duration or amount or record$3) adj5(read$3)).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 09:58
L6	532	5 with lock$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 09:58
S17	2	(("5959995") or ("5166674")).PN.	USPAT; USOCR	OR	OFF	2005/04/29 09:58

| S69 | 51 | (((quantity or log or history or monitor$3 or count$3 or track$3 OR DETECT$3 or DETERMIN$3 or measur$4 or number or length or siz$3 or duration or amount or record$3) adj3 (read$3)) with lock$3 near5 (mode or type or kind)) not (((history or number or quantity or amount or record or log) adj4 (read$3) same write same (lock or spinlock)) not ((((quantity or log or history or monitor$3 or count$3 or track$3 OR DETECT$3 or DETERMIN$3 or measur$4 or number or length or siz$3 or duration or amount or record$3) adj3 (read$3)) same ((quantity or log or history or monitor$3 or count$3 or track$3 OR DETECT$3 or DETERMIN$3 or measur$4 or number or length or siz$3 or duration or amount or record$3) adj3 (writ$3))) same (lock$3 or spinlock)) not ((lock$3 near5 mode same (read or reader) same (write or writer)) same (read$3 adj2 writ$3)) not (((((quantity or log or history or monitor$3 or count$3 or track$3 OR DETECT$3 or DETERMIN$3 or measur$4 or number or length or siz$3 or duration or amount or record$3) near5 (read)) same ((quantity or log or history or monitor$3 or count$3 or track$3 OR DETECT$3 or DETERMIN$3 or measur$4 or number or length or siz$3 or duration or amount or record$3) near5 (write))) same (lock or spinlock)) same mode)) not ((history or number or quantity or amount or record or log) adj4 (read$3) same write same (lock or spinlock)) not ((((quantity or log or history or monitor$3 or count$3 or track$3 OR DETECT$3 or DETERMIN$3 or measur$4 or number or length or siz$3 or duration or amount or record$3) adj3 (read$3)) same ((quantity or log or history or monitor$3 or count$3 or track$3 OR DETECT$3 or DETERMIN$3 or measur$4 or number or length or siz$3 or duration or amount or record$3) adj3 (writ$3))) same (lock$3 or spinlock)) not ((lock$3 near5 mode same (read or reader) same (write or writer)) same (read$3 adj2 writ$3)) not | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/29 09:58 |

L4	63	2 and @ad<"20001219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 09:59
L7	70	6 same (form or type or kind or mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 09:59
L8	55	7 and @ad<"20001219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:00